





**CADENAS DE RODILLOS STANDARD NORMA EUROPEA ISO 606 (DIN 8187)**

PASO Pulgadas	Referencia	Dimensiones ( mm )			P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
		Paso	Ancho int	Ø Rodillo			
1/2"	<b>D-080 Bicicleta</b>	12,70	3,30	7,75	<b>6,78</b>	<b>0,50</b>	<b>0,99</b>
1/2"	<b>D-081 Velomotor</b>	12,70	4,88	7,75	<b>8,14</b>	<b>0,75</b>	<b>1,23</b>
paso 6 mm	<b>04-B1</b>	6,00	2,80	4,00	<b>18,70</b>	<b>1,36</b>	-
paso 8 mm	<b>05-B1</b>	8,00	3,00	5,00	<b>12,77</b>	<b>1,23</b>	-
3/8"	<b>06-B1</b>	9,525	5,72	6,35	<b>9,06</b>	<b>1,07</b>	<b>1,90</b>
1/2"	<b>08-B1</b>	12,70	7,75	8,51	<b>8,64</b>	<b>1,18</b>	<b>3,49</b>
5/8"	<b>10-B1</b>	15,875	9,65	10,16	<b>10,70</b>	<b>1,56</b>	<b>2,34</b>
3/4"	<b>12-B1</b>	19,05	11,68	12,07	<b>13,44</b>	<b>2,38</b>	<b>3,55</b>
1"	<b>16-B1</b>	25,40	17,02	15,88	<b>26,33</b>	<b>4,13</b>	<b>6,20</b>
1.1/4"	<b>20-B1</b>	31,75	19,56	19,05	<b>55,70</b>	<b>8,09</b>	<b>12,13</b>
1.1/2"	<b>24-B1</b>	38,10	25,40	25,40	<b>99,26</b>	<b>17,18</b>	<b>25,78</b>
1.3/4"	<b>28-B1</b>	44,45	30,99	27,94	<b>134,04</b>	<b>27,42</b>	<b>41,13</b>
2"	<b>32-B1</b>	50,80	30,99	29,21	<b>157,71</b>	<b>35,49</b>	<b>53,23</b>
3/8"	<b>06-B2</b>	9,525	5,72	6,35	<b>19,03</b>	<b>2,21</b>	<b>3,98</b>
1/2"	<b>08-B2</b>	12,70	7,75	8,51	<b>18,13</b>	<b>2,44</b>	<b>3,70</b>
5/8"	<b>10-B2</b>	15,875	9,65	10,16	<b>22,47</b>	<b>3,28</b>	<b>4,91</b>
3/4"	<b>12-B2</b>	19,05	11,68	12,07	<b>28,23</b>	<b>4,98</b>	<b>7,47</b>
1"	<b>16-B2</b>	25,40	17,02	15,88	<b>55,30</b>	<b>8,67</b>	<b>13,00</b>
1.1/4"	<b>20-B2</b>	31,75	19,56	19,05	<b>116,99</b>	<b>16,97</b>	<b>25,48</b>
1.1/2"	<b>24-B2</b>	38,10	25,40	25,40	<b>208,47</b>	<b>36,08</b>	<b>54,12</b>
1.3/4"	<b>28-B2</b>	44,45	30,99	27,94	<b>281,47</b>	<b>57,57</b>	<b>86,36</b>
2"	<b>32-B2</b>	50,80	30,99	29,21	<b>331,18</b>	<b>74,51</b>	<b>111,77</b>



Dimensiones ( mm )

PASO Pulgadas	Referencia	Paso	Ancho int	Ø Rodillo	P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
3/8"	<b>06-B3</b>	9,525	5,72	6,35	<b>29,00</b>	<b>3,37</b>	<b>6,11</b>
1/2"	<b>08-B3</b>	12,70	7,75	8,51	<b>27,63</b>	<b>3,75</b>	<b>5,61</b>
5/8"	<b>10-B3</b>	15,875	9,65	10,16	<b>34,24</b>	<b>4,98</b>	<b>7,47</b>
3/4"	<b>12-B3</b>	19,05	11,68	12,07	<b>43,01</b>	<b>7,59</b>	<b>11,37</b>
1"	<b>16-B3</b>	25,40	17,02	15,88	<b>84,25</b>	<b>13,21</b>	<b>19,82</b>
1.1/4"	<b>20-B3</b>	31,75	19,56	19,05	<b>178,27</b>	<b>25,87</b>	<b>38,69</b>
1.1/2"	<b>24-B3</b>	38,10	25,40	25,40	<b>317,66</b>	<b>54,98</b>	<b>82,48</b>
1.3/4"	<b>28-B3</b>	44,45	30,99	27,94	<b>428,90</b>	<b>87,74</b>	<b>131,60</b>
2"	<b>32-B3</b>	50,80	30,99	29,21	<b>504,65</b>	<b>113,54</b>	<b>170,31</b>



**CADENAS DE RODILLOS STANDARD NORMA AMERICANA ANSI B29.1 (DIN 8188)**

PASO Pulgadas	Referencia	Dimensiones ( mm )			P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
		Paso	Ancho int	Ø Rodillo			
1/4"	ASA-25-1	6,35	3,18	3,30	12,28	0,97	-
3/8"	ASA-35-1	9,525	4,78	5,08	8,57	0,99	1,78
1/2"	ASA-40-1	12,70	7,85	7,92	8,39	1,12	1,72
5/8"	ASA-50-1	15,875	9,40	10,16	11,24	1,63	2,45
3/4"	ASA-60-1	19,05	12,58	11,91	14,05	2,48	3,72
1"	ASA-80-1	25,40	15,75	15,87	25,60	4,02	6,02
1.1/4"	ASA-100-1	31,75	18,90	19,05	52,31	7,59	21,89
1.1/2"	ASA-120-1	38,10	25,23	22,22	84,34	14,60	21,89
1.3/4"	ASA-140-1	44,45	25,23	25,40	124,36	25,44	38,15
2"	ASA-160-1	50,80	31,55	28,57	140,02	28,05	42,06
3/8"	ASA-35-2	9,525	4,78	5,08	18,01	2,09	3,75
1/2"	ASA-40-2	12,70	7,85	7,92	17,62	2,38	3,60
5/8"	ASA-50-2	15,875	9,40	10,16	23,62	3,44	5,16
3/4"	ASA-60-2	19,05	12,58	11,91	29,49	5,19	7,81
1"	ASA-80-2	25,40	15,75	15,87	53,77	8,43	12,65
1.1/4"	ASA-100-2	31,75	18,90	19,05	109,82	15,95	23,90
1.1/2"	ASA-120-2	38,10	25,23	22,22	177,10	30,65	45,98
1.3/4"	ASA-140-2	44,45	25,23	25,40	261,16	53,43	80,12
2"	ASA-160-2	50,80	31,55	28,57	294,05	58,89	88,33
3/8"	ASA-35-3	9,525	4,78	5,08	27,43	3,18	5,71
1/2"	ASA-40-3	12,70	7,85	7,92	26,86	3,61	5,48
5/8"	ASA-50-3	15,875	9,40	10,16	35,99	5,24	7,85
3/4"	ASA-60-3	19,05	12,58	11,91	44,95	7,91	11,89
1"	ASA-80-3	25,40	15,75	15,87	81,92	12,85	19,27
1.1/4"	ASA-100-3	31,75	18,90	19,05	167,35	24,30	36,44
1.1/2"	ASA-120-3	38,10	25,23	22,22	269,87	46,71	70,08
1.3/4"	ASA-140-3	44,45	25,23	25,40	397,97	81,41	122,09
2"	ASA-160-3	50,80	31,55	28,57	448,07	89,74	134,59



**SERIE REFORZADA**

PASO Pulgadas	Referencia	Dimensiones ( mm )			P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
		Paso	Ancho int	Ø Rodillo			
3/4"	ASA-60H-1	19,05	12,58	11,91	18,67	3,29	4,94
1"	ASA-80H-1	25,40	15,75	15,87	34,41	5,40	8,10
1.1/4"	ASA-100H-1	31,75	18,90	19,05	62,90	9,12	13,70
1.1/2"	ASA-120H-1	38,10	25,23	22,22	113,95	19,72	29,59
1.3/4"	ASA-140H-1	44,45	25,23	25,40	167,94	34,34	51,52
2"	ASA-160H-1	50,80	31,55	28,57	168,17	37,84	56,76

**CADENAS DE RODILLOS DE PASO LARGO MALLA RECTA ANSI B29.4M (DIN 8181)**

PASO Pulgadas	Referencia	Dimensiones ( mm )			P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
		Paso	Ancho int	Ø Rodillo			
1"	C-2040	25,40	7,85	7,92	7,78	2,12	3,21
1.1/4"	C-2050	31,75	9,40	10,16	11,21	3,25	4,90
1.1/2"	C-2060	38,10	12,58	11,91	14,69	5,07	7,62
1.3/4"	C-2060H	44,45	12,58	11,91	18,40	6,38	9,56
2"	C-2080	50,80	15,75	15,88	29,01	8,70	13,05
2"	C-2080H	50,80	15,75	15,87	32,90	9,88	14,80
1"	C-2042	25,40	7,85	15,88	16,36	4,40	6,62
1.1/4"	C-2052	31,75	9,40	19,05	19,64	5,71	8,55
1.1/2"	C-2062	38,10	12,58	22,22	32,66	11,31	16,95
1.1/2"	C-2062H	38,10	12,58	22,22	24,61	8,51	12,77
2"	C-2082	50,80	15,75	28,58	45,85	13,75	20,64
2"	C-2082H	50,80	15,75	28,58	51,13	15,35	23,00



**CADENAS FLEYER SERIE "LL" NORMA ISO 4337**

PASO Pulgadas	Referencia	Dimensiones ( mm )			P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
		Paso	Ancho int	Ø Rodillo			
5/8"	LL-1044	4X4	15,875	5,08	26,25	-	-
5/8"	LL-1066	6X6	15,875	5,08	38,24	-	-
3/4"	LL-1244	4X4	19,05	5,72	30,92	-	-
3/4"	LL-1266	6X6	19,05	5,72	46,21	-	-
3/4"	LL-1288	8X8	19,05	5,72	60,04	-	-
1"	LL-1644	4X4	25,40	8,28	65,81	-	-
1"	LL-1666	6X6	25,40	8,28	96,07	-	-
1.1/4"	LL-2022	2X2	31,75	10,19	49,06	-	-
1.1/4"	LL-2044	4X4	31,75	10,19	94,91	-	-
1.1/4"	LL-2066	6X6	31,75	10,19	141,86	-	-
1.1/2"	LL-2422	2X2	38,10	14,63	94,40	-	-
1.1/2"	LL-2444	4X4	38,10	14,63	182,66	-	-
1.1/2"	LL-2466	6X6	38,10	14,63	267,69	-	-
2"	LL-3222	2X2	50,80	17,81	131,33	-	-
2"	LL-3244	4X4	50,80	17,81	257,60	-	-
2"	LL-3266	6X6	50,80	17,81	383,96	-	-



**CADENAS DE RODILLOS NIQUELADAS**

PASO Pulgadas	Referencia	Dimensiones ( mm )			P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
		Paso	Ancho int	Ø Rodillo			
3/8"	<b>06-B1 NICKEL PL</b>	9,525	5,72	6,35	<b>13,59</b>	<b>1,60</b>	<b>2,85</b>
1/2"	<b>08-B1 NICKEL PL</b>	12,70	7,75	8,51	<b>12,95</b>	<b>1,76</b>	<b>2,64</b>
5/8"	<b>10-B1 NICKEL PL</b>	15,875	9,65	10,16	<b>16,06</b>	<b>2,34</b>	<b>3,51</b>
3/4"	<b>12-B1 NICKEL PL</b>	19,05	11,68	12,07	<b>20,15</b>	<b>3,58</b>	<b>5,32</b>
1"	<b>16-B1 NICKEL PL</b>	25,40	17,02	15,88	<b>39,49</b>	<b>6,18</b>	<b>9,30</b>
3/8"	<b>06-B2 NICKEL PL</b>	9,525	5,72	6,35	<b>28,53</b>	<b>3,31</b>	<b>5,98</b>
1/2"	<b>08-B2 NICKEL PL</b>	12,70	7,75	8,51	<b>27,19</b>	<b>3,69</b>	<b>5,52</b>
5/8"	<b>10-B2 NICKEL PL</b>	15,875	9,65	10,16	<b>33,72</b>	<b>4,91</b>	<b>7,36</b>
3/4"	<b>12-B2 NICKEL PL</b>	19,05	11,68	12,07	<b>42,34</b>	<b>7,47</b>	<b>11,21</b>
1"	<b>16-B2 NICKEL PL</b>	25,40	17,02	15,88	<b>82,94</b>	<b>13,00</b>	<b>19,49</b>

**CADENAS DE RODILLOS EN ACERO INOXIDABLE**

PASO Pulgadas	Referencia	Dimensiones ( mm )			P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
		Paso	Ancho int	Ø Rodillo			
3/8"	<b>06-B1 INOX</b>	9,525	5,72	6,35	<b>59,95</b>	<b>6,88</b>	-
1/2"	<b>08-B1 INOX</b>	12,70	7,75	8,51	<b>52,45</b>	<b>6,03</b>	-
5/8"	<b>10-B1 INOX</b>	15,875	9,65	10,16	<b>78,69</b>	<b>9,56</b>	-
3/4"	<b>12-B1 INOX</b>	19,05	11,68	12,07	<b>93,67</b>	<b>11,42</b>	-
1"	<b>16-B1 INOX</b>	25,40	17,02	15,88	<b>161,08</b>	<b>22,52</b>	-



**CADENAS DE MALLAS RECTAS**

PASO Pulgadas	Referencia	Dimensiones ( mm )			P.V.P. metro €	P.V.P. enganche €	P.V.P. acodado €
		Paso	Ancho int	Ø Rodillo			
3/8"	<b>06-B1 M. RECTA</b>	9,525	5,72	6,35	<b>10,14</b>	<b>1,20</b>	<b>2,13</b>
1/2"	<b>08-B1 M. RECTA</b>	12,70	7,75	8,51	<b>9,68</b>	<b>1,31</b>	<b>1,97</b>
5/8"	<b>10-B1 M. RECTA</b>	15,875	9,65	10,16	<b>11,99</b>	<b>1,75</b>	<b>2,63</b>
3/4"	<b>12-B1 M. RECTA</b>	19,05	11,68	12,07	<b>15,05</b>	<b>2,66</b>	<b>3,98</b>
1"	<b>16-B1 M. RECTA</b>	25,40	17,02	15,88	<b>29,48</b>	<b>4,63</b>	<b>6,94</b>
3/8"	<b>06-B2 M. RECTA</b>	9,525	5,72	6,35	<b>21,31</b>	<b>2,47</b>	<b>4,46</b>
1/2"	<b>08-B2 M. RECTA</b>	12,70	7,75	8,51	<b>20,31</b>	<b>2,75</b>	<b>4,12</b>
5/8"	<b>10-B2 M. RECTA</b>	15,875	9,65	10,16	<b>25,17</b>	<b>3,67</b>	<b>5,49</b>
3/4"	<b>12-B2 M. RECTA</b>	19,05	11,68	12,07	<b>31,61</b>	<b>5,58</b>	<b>8,37</b>
1"	<b>16-B2 M. RECTA</b>	25,40	17,02	15,88	<b>61,93</b>	<b>9,70</b>	<b>14,56</b>

TELÉFONO DE ATENCIÓN AL CLIENTE - ESPAÑA

902 208 608

## RODAMIENTOS FEYC S.A. - OFICINAS CENTRALES Y ADMINISTRACIÓN

[www.feyc.es](http://www.feyc.es)

C/Progrés, 127-133 Pol. Ind. Almeda - 08940 - **CORNELLÀ DE LLOBREGAT** (BARCELONA)  
Tel. 934 740 464 - Fax 934 745 893 - [www.feyc.es](http://www.feyc.es) - [feyc@feyc.es](mailto:feyc@feyc.es)

## OFICINAS COMERCIALES ESPAÑA

## DELEGACIONES ESPAÑA

17600 **FIGUERES** (GIRONA)

C/Joan Bruguera, 6  
Tel. y Fax 972 780 973

31001 **PAMPLONA**

San Antón, 68  
Tel. 948344327 - Fax 948344359

41840 **PILAS** (SEVILLA)

Av. Portugal, 64  
Tel. 954757163 - Fax 954757165

30009 **EL RANERO** (MURCIA)

C/Aguilas, 12  
Tel 968 29 04 42 - Fax 968 29 03 45

36211 **VIGO** (PONTEVEDRA)

C/Don Quijote, 1, 6ºB  
Tel. y Fax 986 483 214

50015 **ZARAGOZA**

C/Cineasta Adolfo Aznar, 26, 2ºC  
Tel. 976 732 844 - Fax 976 732 952

48007 **BILBAO**

Vía Vieja de Lezama, 2  
Tel. 944 461 450 - Fax 944 466 672

46470 **CATARROJA** (VALENCIA)

Pol. Ind. de Catarroja, Cami Vell de Russafa, 100,  
Nave 5  
Tel. 963 338 249 - Fax 963 748 389

08940 **CORNELLÀ** (BARCELONA)

Pol. Ind. Almeda, C/Progrés, 127/133  
Tel. 934 743 020 - Fax 934 745 893

28022 **MADRID**

Pol. Ind. Las Mercedes, C/ Belfast, 15, Naves A y B  
Tel. 917 482 560 - Fax 917 472 831

07009 **PALMA DE MALLORCA**

Pol. Ind. Son Castelló, C/Gremi Ferrers, 3  
Tel. 971 459 333 - Fax 971 459 390

## RODAMIENTOS FEYC, S.A. - SUCURSAL EM PORTUGAL

[www.rfportugal.com](http://www.rfportugal.com)

4475-122 **MAIA** (PORTO)

Rua do Castanhal, 682 Z.I. da Maia Sector II  
Tel. 229478950 - Fax 229478960 - [www.rfportugal.com](http://www.rfportugal.com) - [info@rfportugal.com](mailto:info@rfportugal.com)

## ESCRITÓRIO COMERCIAL EM PORTUGAL:

2660-322 **STO. ANTONIO DOS CAVALEIROS** (LISBOA)  
Praça D. Rui da Câmara, lote 1 - Tel. - Fax 219888648

TELÉFONO DE ATENCIÓN AL CLIENTE - PORTUGAL

707 208 608



**Gruppo Bianchi**  
CUSCINETTI E COMPONENTI

**BIANCHI CUSCINETTI** - Italia  
**LUIGI BIANCHI SpA** - Italia  
**RODAMIENTOS FEYC SA** - España - Portugal  
**RJ INTERNATIONAL SAS** - Francia